



Pos 1

## mechanic tilting table 9,00 x 4,50 m

- manufacturer: AVERMANN
- year of construction: ca. 1996
- dimensions: length: ca. **9,00 m**  
width: ca. **4,50 m**
- surface: good steel surface, flat





Pos 2

## manhole production PRINZING - Tornado

- manufacturer: PRINZING
- type: TORNADO 200/100
- year of construction: approx. 1994
  
- manufacturer: SCHLÜSSELBAUER
- type: TRANS-EXACT / MAGIC
- year of construction: approx. 1998
  
- plant components:
  - manhole machine (vibro compaction and pressing process)
  - inlay robot for steel pallet and step iron
  - product converter with buffer
  - handling crane robot incl. transportation tong
  - pallet cleaning device
  - label maker
  - automatic pallet removal device
  - removal station with chain conveyer
  - control system: SIEMENS S5

## manhole production

### BAUMGÄRTNER - Atlantik A II

- manufacturer: BAUMGÄRTNER
- type: Atlantik A II
- year of construction: approx. 1995
- incl. steel pallet cleaning / handling
- complete computer control incl. container
- removal carriage type ESW
- incl. moulds for manholes and cones
- steel pallets DN 1.000



## production plant for monolithic manhole bases

- manufacturer: SCHLÜSSELBAUER
- type: Wendestation
- year of constr.: 1996
- production height: up to 800 mm
- incl. steel pallets: approx. 40 pieces
- incl. form work for channel and supplies



## automatic steel cutting machine

- manufacturer: Peddinghaus
- year of construction: approx. 1990
- cutting performance: up to  $\varnothing$  28 mm
- moveable on tracks
- electrical twin roller conveyer
- length: approx. 12 m



## mesh bending machine

- manufacturer: HAMBİ
- made: ca. 1993
- type: KSE602
- fabr.-no.: 12556
- operating width: 6.000 mm
- incl. foot switch



## steel rod bending machine

- manufacturer: STEINWEG
- made: ca. 1993
- type: B32 fabr.-no. 3798
- performance: max 2 x Ø 25 mm
- incl. foot switchincl. bending rolls



## hydraulic ring- and cone clamp

- manufacturer: PROBST / RKZ- H
- year of construction: approx. 1995
- opening range: 600 - 1.500 mm



## hydraulic turning device for concrete elements

- manufacturer: PROBST
- year of construction: approx. 1995
- opening range: 500 - 1.800 mm
- rotating range: 360° endless



# FAXresponse

**FUCHS**  
**TransConTec**  
Transfer of Construction Technology

**+49 (0) 8462 / 200 617 - 80**

**Bitte senden Sie uns Informationen zu folgenden Positionen:**

- Pos 1  mechanic tilting table 9,00 x 4,50 m
- Pos 2  manhole production PRINZING - Tornado
- Pos 3  manhole production BAUMGÄRTNER - Atlantik A II
- Pos 4  production plant for monolithic manhole bases
- Pos 5  automatic steel cutting machine
- Pos 6  mesh bending machine
- Pos 7  steel rod bending machine
- Pos 8  hydraulic ring- and cone clamp
- Pos 9  hydraulic turning device for concrete elements

## CONTACT

**company** \_\_\_\_\_

**street / zip-code / city** \_\_\_\_\_

**country** \_\_\_\_\_

**contact person** \_\_\_\_\_

**tel / fax** \_\_\_\_\_

**email** \_\_\_\_\_

Fuchs TransConTec GmbH & Co. KG • Wegscheid 1a • 92334 Berching • Germany  
Tel: +49 (0) 8462 / 200 617 - 55 • Fax: - 80 • Mobile: +49 (0) 175 541 59 62 • info@transcontec.com